

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5119	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L2	889	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption) and twice	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L3	509	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L4	386	(713/162).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L5	670	(713/151).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L6	485	((double or twice) with encrypt\$) with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L7	43	((double or twice) with encrypt\$) with decrypt\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L8	3726	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20

L9	564	(encrypt\$ with data with network with (transmission or transmits or transmitting)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L10	410	(encrypt\$ with header with packet with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L11	36	(encrypt\$ with header with packet with decrypt\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L12	2	"20020004898" and location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L13	2	"20020004898" and key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L14	756	symmetric with session with key with public key with encrypt\$ with decrypt\$ with payload with header	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L15	29	(symmetric with session with key with public key with encrypt\$ with decrypt\$ with payload with header).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L16	721	symmetric with session with key with public key with encrypt\$ with decrypt\$ with payload with header with first with second with third	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L17	923	fan-r\$.in. or tiwari-a\$.in. or tumuluri-r\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L18	0	(713/201).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20

L19	509	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L20	386	(713/162).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L21	670	(713/151).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L22	0	(713/201).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L23	1463	L19 or L20 or L21 or L22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L24	923	fan-r\$.in. or tiwari-a\$. in. or tumuluri-r\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L25	0	L23 and L24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L26	5119	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L27	129	L23 and L26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L28	3726	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20

L29	139	L23 and L28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L30	509	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L31	509	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L32	386	(713/162).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L33	670	(713/151).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L34	485	((double or twice) with encrypt\$) with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L35	43	((double or twice) with encrypt\$) with decrypt\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L36	3726	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L37	564	(encrypt\$ with data with network with (transmission or transmits or transmitting)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L38	410	(encrypt\$ with header with packet with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20

L39	36	(encrypt\$ with header with packet with decrypt\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L40	5119	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L41	889	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption) and twice	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L42	923	fan-r\$.in. or tiwari-a\$.in. or tumuluri-r\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L43	0	(713/201).ccs.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L44	509	(713/160).ccs.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L45	386	(713/162).ccs.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L46	670	(713/151).ccs.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L47	509	(713/160).ccs.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20

L48	386	(713/162).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L49	670	(713/151).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L50	0	(713/201).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L51	1463	L47 or L48 or L49 or L50	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L52	923	fan-r\$.in. or tiwari-a\$. in. or tumuluri-r\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L53	1463	L47 or L48 or L49 or L50	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L54	923	fan-r\$.in. or tiwari-a\$. in. or tumuluri-r\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L55	0	L53 and L54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L56	5119	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20

L57	5119	(transmit or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L58	129	L53 and L57	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L59	3726	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L60	3726	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L61	139	L53 and L60	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L62	3295	\$crypt\$4 same packet \$2 same key same transmi\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L63	1417	\$crypt\$4 same packet \$2 same key same transmi\$5 same network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L64	314	(\$crypt\$4 same packet \$2 same key same transmi\$5 same network) and (key\$2 near (second pair))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L65	983435	twice \$crypt\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L66	7645	(twice \$crypt\$4) same packet\$2 same key\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20

L67	330	(twice \$crypt\$4) same packet\$2 same key\$2 same transmi\$4 same payload	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L68	1	(twice adj \$crypt\$4) same packet\$2 same key\$2 same transmi\$4 same payload	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L69	1	(twice adj \$crypt\$4) same packet\$2 same key\$2 same payload	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L70	4	(twice adj \$crypt\$4) same packet\$2 same key\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L71	197	(twice adj \$crypt\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L72	58	(twice adj \$crypt\$4) and packet\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L73	3	"20020004898"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L74	5119	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L75	889	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption) and twice	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20

L76	509	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L77	386	(713/162).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L78	670	(713/151).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L79	485	((double or twice) with encrypt\$) with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L80	43	((double or twice) with encrypt\$) with decrypt\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L81	3726	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L82	564	(encrypt\$ with data with network with (transmission or transmits or transmitting)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L83	410	(encrypt\$ with header with packet with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L84	36	(encrypt\$ with header with packet with decrypt\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L85	2	"20020004898" and location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20

L86	2	"20020004898" and key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L87	756	symmetric with session with key with public key with encrypt\$ with decrypt\$ with payload with header	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L88	29	(symmetric with session with key with public key with encrypt\$ with decrypt\$ with payload with header). ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L89	721	symmetric with session with key with public key with encrypt\$ with decrypt\$ with payload with header with first with second with third	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L90	923	fan-r\$.in. or tiwari-a\$.in. or tumuluri-r\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L91	0	(713/201).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L92	509	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L93	386	(713/162).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L94	670	(713/151).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L95	0	(713/201).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20

L96	1463	L92 or L93 or L94 or L95	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L97	923	fan-r\$.in. or tiwari-a\$. in. or tumuluri-r\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L98	0	L96 and L97	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L99	5119	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L100	129	L96 and L99	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L101	3726	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L102	139	L96 and L101	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L103	509	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L104	509	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L105	386	(713/162).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20

L106	670	(713/151).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L107	485	((double or twice) with encrypt\$) with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L108	43	((double or twice) with encrypt\$) with decrypt\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L109	3726	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L110	564	(encrypt\$ with data with network with (transmission or transmits or transmitting)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L111	410	(encrypt\$ with header with packet with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L112	36	(encrypt\$ with header with packet with decrypt\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L113	5119	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L114	889	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption) and twice	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20

L115	923	fan-r\$.in. or tiwari-a\$. in. or tumuluri-r\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L116	0	(713/201).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L117	509	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L118	386	(713/162).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L119	670	(713/151).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L120	509	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L121	386	(713/162).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L122	670	(713/151).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L123	0	(713/201).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L124	1463	L120 or L121 or L122 or L123	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20

L125	923	fan-r\$.in. or tiwari-a\$. in. or tumuluri-r\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L126	1463	L120 or L121 or L122 or L123	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L127	923	fan-r\$.in. or tiwari-a\$. in. or tumuluri-r\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L128	0	L126 and L127	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L129	5119	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L130	5119	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L131	129	L126 and L130	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L132	3726	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L133	3726	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20

L134	139	L126 and L133	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L135	3295	\$crypt\$4 same packet \$2 same key same transmi\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L136	1417	\$crypt\$4 same packet \$2 same key same transmi\$5 same network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L137	314	(\$crypt\$4 same packet \$2 same key same transmi\$5 same network) and (key\$2 near (second pair))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L138	983435	twice \$crypt\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L139	7645	(twice \$crypt\$4) same packet\$2 same key\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L140	330	(twice \$crypt\$4) same packet\$2 same key\$2 same transmi\$4 same payload	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L141	1	(twice adj \$crypt\$4) same packet\$2 same key\$2 same transmi\$4 same payload	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L142	1	(twice adj \$crypt\$4) same packet\$2 same key\$2 same payload	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L143	4	(twice adj \$crypt\$4) same packet\$2 same key\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20

L144	197	(twice adj \$crypt\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L145	58	(twice adj \$crypt\$4) and packet\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L146	3	"20020004898"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L147	3	"7248862"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L148	2	"7248862".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L149	5119	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L150	889	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption) and twice	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L151	509	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L152	386	(713/162).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20

L153	670	(713/151).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L154	485	((double or twice) with encrypt\$) with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L155	43	((double or twice) with encrypt\$) with decrypt\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L156	3726	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L157	564	(encrypt\$ with data with network with (transmission or transmits or transmitting)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L158	410	(encrypt\$ with header with packet with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L159	36	(encrypt\$ with header with packet with decrypt\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L160	2	"20020004898" and location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L161	2	"20020004898" and key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L162	756	symmetric with session with key with public key with encrypt\$ with decrypt\$ with payload with header	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20

L163	29	(symmetric with session with key with public key with encrypt\$ with decrypt\$ with payload with header). ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L164	721	symmetric with session with key with public key with encrypt\$ with decrypt\$ with payload with header with first with second with third	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L165	923	fan-r\$.in. or tiwari-a\$.in. or tumuluri-r\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L166	0	(713/201).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L167	509	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L168	386	(713/162).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L169	670	(713/151).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L170	0	(713/201).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L171	1463	L167 or L168 or L169 or L170	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L172	923	fan-r\$.in. or tiwari-a\$.in. or tumuluri-r\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20

L173	0	L171 and L172	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L174	5119	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L175	129	L171 and L174	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L176	3726	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L177	139	L171 and L176	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L178	509	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L179	509	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L180	386	(713/162).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L181	670	(713/151).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L182	485	((double or twice) with encrypt\$) with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20

L183	43	((double or twice) with encrypt\$) with decrypt\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L184	3726	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L185	564	(encrypt\$ with data with network with (transmission or transmits or transmitting)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L186	410	(encrypt\$ with header with packet with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L187	36	(encrypt\$ with header with packet with decrypt\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L188	5119	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L189	889	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption) and twice	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L190	923	fan-r\$.in. or tiwari-a\$.in. or tumuluri-r\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L191	0	(713/201).ccs.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20

L192	509	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L193	386	(713/162).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L194	670	(713/151).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L195	509	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L196	386	(713/162).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L197	670	(713/151).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L198	0	(713/201).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L199	1463	L195 or L196 or L197 or L198	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L200	923	fan-r\$.in. or tiwari-a\$. in. or tumuluri-r\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L201	1463	L195 or L196 or L197 or L198	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20

L202	923	fan-r\$.in. or tiwari-a\$. in. or tumuluri-r\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L203	0	L201 and L202	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L204	5119	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L205	5119	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L206	129	L201 and L205	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L207	3726	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L208	3726	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L209	139	L201 and L208	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L210	3295	\$crypt\$4 same packet \$2 same key same transmi\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20

L211	1417	\$crypt\$4 same packet \$2 same key same transmi\$5 same network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L212	314	(\$crypt\$4 same packet \$2 same key same transmi\$5 same network) and (key\$2 near (second pair))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L213	983435	twice \$crypt\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L214	7645	(twice \$crypt\$4) same packet\$2 same key\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L215	330	(twice \$crypt\$4) same packet\$2 same key\$2 same transmi\$4 same payload	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L216	1	(twice adj \$crypt\$4) same packet\$2 same key\$2 same transmi\$4 same payload	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L217	1	(twice adj \$crypt\$4) same packet\$2 same key\$2 same payload	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L218	4	(twice adj \$crypt\$4) same packet\$2 same key\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L219	197	(twice adj \$crypt\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L220	58	(twice adj \$crypt\$4) and packet\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20

L221	3	"20020004898"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L222	5119	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L223	889	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption) and twice	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L224	509	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L225	386	(713/162).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L226	670	(713/151).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L227	485	((double or twice) with encrypt\$) with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L228	43	((double or twice) with encrypt\$) with decrypt\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L229	3726	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20

L230	564	(encrypt\$ with data with network with (transmission or transmits or transmitting)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L231	410	(encrypt\$ with header with packet with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L232	36	(encrypt\$ with header with packet with decrypt\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L233	2	"20020004898" and location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L234	2	"20020004898" and key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L235	756	symmetric with session with key with public key with encrypt\$ with decrypt\$ with payload with header	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L236	29	(symmetric with session with key with public key with encrypt\$ with decrypt\$ with payload with header).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L237	721	symmetric with session with key with public key with encrypt\$ with decrypt\$ with payload with header with first with second with third	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L238	923	fan-r\$.in. or tiwari-a\$.in. or tumuluri-r\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L239	0	(713/201).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20

L240	509	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L241	386	(713/162).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L242	670	(713/151).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L243	0	(713/201).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L244	1463	L240 or L241 or L242 or L243	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L245	923	fan-r\$.in. or tiwari-a\$. in. or tumuluri-r\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L246	0	L244 and L245	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L247	5119	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L248	129	L244 and L247	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L249	3726	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20

L250	139	L244 and L249	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:20
L251	509	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:21
L252	509	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:21
L253	386	(713/162).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:21
L254	670	(713/151).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:21
L255	485	((double or twice) with encrypt\$) with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:21
L256	43	((double or twice) with encrypt\$) with decrypt\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:21
L257	3726	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:21
L258	564	(encrypt\$ with data with network with (transmission or transmits or transmitting)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:21
L259	410	(encrypt\$ with header with packet with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:21

L260	36	(encrypt\$ with header with packet with decrypt\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:21
L261	5119	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:21
L262	889	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption) and twice	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:21
L263	923	fan-r\$.in. or tiwari-a\$.in. or tumuluri-r\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:21
L264	0	(713/201).ccs.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:21
L265	509	(713/160).ccs.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:21
L266	386	(713/162).ccs.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:21
L267	670	(713/151).ccs.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:21
L268	509	(713/160).ccs.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:21

L269	386	(713/162).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:21
L270	670	(713/151).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:21
L271	0	(713/201).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:21
L272	1463	L268 or L269 or L270 or L271	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:21
L273	923	fan-r\$.in. or tiwari-a\$. in. or tumuluri-r\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:21
L274	1463	L268 or L269 or L270 or L271	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:21
L275	923	fan-r\$.in. or tiwari-a\$. in. or tumuluri-r\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:21
L276	0	L274 and L275	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:21
L277	5119	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:21

L278	5119	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:21
L279	129	L274 and L278	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:21
L280	3726	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:21
L281	3726	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:21
L282	139	L274 and L281	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:21
L283	3295	\$crypt\$4 same packet \$2 same key same transmi\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:21
L284	1417	\$crypt\$4 same packet \$2 same key same transmi\$5 same network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:21
L285	314	(\$crypt\$4 same packet \$2 same key same transmi\$5 same network) and (key\$2 near (second pair))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:21
L286	983435	twice \$crypt\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:21
L287	7645	(twice \$crypt\$4) same packet\$2 same key\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:21

L288	330	(twice \$crypt\$4) same packet\$2 same key\$2 same transmi\$4 same payload	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:21
L289	1	(twice adj \$crypt\$4) same packet\$2 same key\$2 same transmi\$4 same payload	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:21
L290	1	(twice adj \$crypt\$4) same packet\$2 same key\$2 same payload	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:21
L291	4	(twice adj \$crypt\$4) same packet\$2 same key\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:21
L292	197	(twice adj \$crypt\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:21
L293	58	(twice adj \$crypt\$4) and packet\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:21
L294	3	"20020004898"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:21
L295	2	"6766361".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 18:23

EAST Search History (I nterference)

< This search history is empty >

9/ 11/ 2009 6:59:00 PM**C:\ Documents and Settings\ tteslovich\ My Documents\ EAST\ Workspaces\ 09927928.wsp**